	MATERIAL SAFETY DATA SHEET According to article 31 and Annex II of the EU REACH Regulation	Revision: 21.01.2019r.
	GRAFEN PROFESSIONAL SEATBELT LUBRICANT SPRAY	Update date: - Version 1.0 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Grafen Professional Seatbelt Lubricant Spray

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Spray that cleans and provides easy use of seat belts.

Uses advised against: No data available

1.3 Details of the supplier of the safety data sheet:

Supplier:	Madejski Sp. J.
Street address:	Makuszyńskiego 28 Street
Country/Postcode:	Poland, 31-752 Kraków
Telephone number:	+48 (12) 643 67 67
E-mail:	info@madejski.com.pl

1.4 Emergency telephone number:

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Mixture:

Classification according to Regulation (EC) No 1272/2008 (CLP)

Aerosol 2 H223 Flammable aerosol (Aerosols) -Hazard Category 2

H229 Pressurised container: May burst if heated (Aerosols) - Hazard Category 1, 2, 3

Skin Irrit.2 H315 Causes skin irritation (Skin corrosion/irritation) - Hazard Category 2

STOT SE.3 H336 May cause drowsiness or dizziness (Specific target organ toxicity — Single exposure) - Hazard Category 3

Repr.2 H361f Suspected of damaging fertility (Reproductive toxicity) - Hazard Category 2

STOT RE.2 H373 May cause damage to organs through prolonged or repeated exposure (Specific target organ toxicity — Repeated exposure) - Hazard Category 2

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects (— Hazardous to the aquatic environment — Chronic Hazard) - Category 2

2.2 Label elements

Contains Naphtha (petroleum), hydrotreated light (CAS 64742-49-0)

Supplemental information on the label:

Not applicable

Hazard pictograms:



Signal word:

WARNING

Hazard statements:


H223 Flammable aerosol

H229 Pressurised container: May burst if heated

H315 Causes skin irritation

H336 May cause drowsiness or dizziness

H361f Suspected of damaging fertility

	MATERIAL SAFETY DATA SHEET According to article 31 and Annex II of the EU REACH Regulation	Revision: 21.01.2019r.
	GRAFEN PROFESSIONAL SEATBELT LUBRICANT SPRAY	Update date: - Version 1.0 Page 2 of 8

H373 May cause damage to organs through prolonged or repeated exposure
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

- P102 Keep out of reach of children.
- P201 Obtain special instructions before use.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P251 Do not pierce or burn, even after use.
- P261 Avoid breathing dust/fume/gas/mist/vapours/ spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P302+P352 IF ON SKIN: Wash with plenty of water with soap.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P314 Get medical advice/attention if you feel unwell.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
- P501 Dispose of contents/container to in accordance with local/ regional/national/international regulation.

2.3 Other hazards

This mixture does not contain any substances that are assessed to be a PBT or a vPvB..

SECTION 3: Composition/information on ingredients

3.1 Substances: Not applicable

3.2 Mixtures:

Hazardous ingredients according to Regulation (EC) No 1272/2008 and/or substances for which there are Union workplace exposure limits:

Name	Identifiers	[% weight]	Classification according to Regulation (EC) No 1278/2008 (CLP)
Naphtha (petroleum), hydrotreated light	Index No: 649-328-00-1 EC No: 265-151-9 CAS No: 64742-49-0 REACH Registration No: 01-2119475133-43-0010	<90	Flam.Liq.2 H225 Asp. Tox.1 H304 Skin Irrit.2 H319 STOT SE.3 H336 Repr.2 H361f STOT RE.2 H373 Aquatic Chronic 2 H411 Note P
Carbon dioxide	Index No: - EC No: 204-696-9 CAS No: 124-38-9 REACH Registration No:	<5	Substance with Union Workplace Exposure Limits


Note P - The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 (Table 3.1) or the S-phrases (2-)23-24-62 (Table 3.2) shall apply.

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration.

The Full Text for all H-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	MATERIAL SAFETY DATA SHEET According to article 31 and Annex II of the EU REACH Regulation	Revision: 21.01.2019r.
	GRAFEN PROFESSIONAL SEATBELT LUBRICANT SPRAY	Update date: - Version 1.0 Page 3 of 8

Following eye contact: Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 10 minutes and get medical attention if symptoms occur and persists after washing.

Following inhalation: Move the exposed person to fresh air at once. Provide fresh air, warmth and rest, preferably in a comfortable upright sitting position. Get medical attention if any discomfort continues.

Following skin contact: Immediately remove contaminated clothing. Wash the skin with plenty of water with soap. Contaminated clothing should be washed before re-use. Get medical attention promptly if symptoms occur and persists after washing.

Following ingestion: Do not induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Seek medical advice. Provide ventilation. Call a poison centre or a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: may cause drowsiness or dizziness

Following skin contact: skin irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blisters.

4.3. Indication of any immediate medical attention and special treatment needed

If any symptoms persist seek medical advice and show the msds or label.

Notes for the doctor: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: foam, carbon dioxide, dry powder, water spray

Unsuitable extinguishing media: do not use water in a jet

5.2 Special hazards arising from the substance or mixture

Flammable aerosol. In case of heating it may explode. Thermal decomposition or combustion may liberate carbon oxides, carbon dioxide.

5.3 Advice for firefighters

Special Fire Fighting Procedures: Wear full protective clothing and self-contained breathing apparatus.

Protective equipment for fire-fighters: Keep containers cool by spraying with water. If possible remove containers from the danger zone. Prevent from spreading or entering drains, ditches or rivers. Dispose of released and contained material in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Remove from the danger area all persons not involved in the emergency. If necessary, order the evacuation. Avoid contact with skin, eyes. Avoid inhalation of vapours / aerosols. Provide ventilation.

For emergency responders:

Wear protective clothing as described in Section 8.


6.2 Environmental precautions

Do not discharge into drains, water courses or into the ground. Local authorities should be advised if any exposure to the environment occurs.

6.3 Methods and material for containment and cleaning up

Collect mechanically in a waste container. Dispose of waste according to the applicable local and national regulation. Clean exposed surfaced with an excess of water.

6.4 Reference to other sections

	MATERIAL SAFETY DATA SHEET According to article 31 and Annex II of the EU REACH Regulation	Revision: 21.01.2019r.
	GRAFEN PROFESSIONAL SEATBELT LUBRICANT SPRAY	Update date: -
		Version 1.0
		Page 4 of 8

See Section 8 for information on personal protective equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures:

Avoid contact with eyes, skin. When handling, use appropriate personal protective equipment (see Section 8). Keep away from fire, do not smoke. When using do not eat or drink. Avoid direct contact with the product.

Advice on general occupational hygiene:

Ensure good ventilation / exhaustion at the workplace. When using do not eat, drink or smoke. Wash hand before and after work with product. Contaminated clothing should be washed before re-use. Provide appropriate exhaust ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks, sunlight, open flame and smoking. Store in temperature below 50°C.

7.3 Specific end use(s)

Spray for seatbelt

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

International Limits Values:

Substance	CAS No:	Basis / Country	Limit values			
			Short Term [mg/m ³]	Short Term [ppm-Calculated]	Eight hours [mg/m ³]	Eight hours [ppm-Calculated]
Carbon dioxide	124-38-9	Germany (DFG)	18200	10000	9100	5000
		Poland	27000	-	9000	-
		European Union	-	-	9000	5000

DNEL, PNEC- no data available

8.2 Exposure controls

Appropriate engineering controls

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear approved chemical safety goggles where eye exposure is reasonably probable. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166.

Skin protection

Hand protection: Use gloves. Gloves must be inspected prior to use. Recommended gloves:

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Other: Wear protective clothing. Contaminated clothing should be washed before re-use.

Respiratory protection:

Where risk assessment shows air-purifying respirators are appropriate use a face respirator.

Environmental exposure controls

Do not discharge into drains, water courses or into the ground. Local authorities should be advised if any exposure to the environment occurs.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



MATERIAL SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Revision:
21.01.2019r.
Update date: -

GRAFEN PROFESSIONAL SEATBELT LUBRICANT SPRAY

Version 1.0
Page 5 of 8

Appearance	Liquid under pressure - Aerosol
Odour	Characteristic
Odour threshold	No data available
pH	No data available
Melting point / freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Evaporation rate	Not applicable
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Solubility(ies)	No data available
Partition coefficient: n-octanol / water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available

9.2 Other information:

No data available.

SECTION 10: Stability and Reactivity

10.1 Reactivity

Not reactive under normal conditions of storage and use.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No further relevant information available.

10.4 Conditions to avoid

Avoid high temperatures above 50°C, direct sunlight, hot surfaces and open fire. May burst if heated.

10.5 Incompatible materials

No further relevant information available.


10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

	MATERIAL SAFETY DATA SHEET		Revision:
	According to article 31 and Annex II of the EU REACH Regulation		21.01.2019r.
	GRAFEN PROFESSIONAL SEATBELT LUBRICANT SPRAY		Update date: -
			Version 1.0
			Page 6 of 8

No data available

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Suspected of damaging fertility.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information

No further relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data available for the mixture.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods


Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

Proposed waste code

14 06 03* Other solvents and solvent mixtures

SECTION 14: Transport Information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1. UN number	1950	1950	1950	1950
14.2. UN proper shipping name	Aerosol	Aerosol	Aerosol	Aerosol
14.3. Transport hazard class(es)	2.1	2.1	2.1	2.1

	MATERIAL SAFETY DATA SHEET According to article 31 and Annex II of the EU REACH Regulation	Revision: 21.01.2019r.
	GRAFEN PROFESSIONAL SEATBELT LUBRICANT SPRAY	Update date: - Version 1.0 Page 7 of 8

label				
14.4. Packing group	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards	YES	YES	YES	YES
14.6. Special precautions for user	Not applicable	Not applicable	EmS: F-D, S-U	Not applicable
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable	Not applicable	Not applicable	Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH),

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

2014/955/EU: Commission Decision of 18 December 2014 amending Decision 2000/532/EC on the list of waste pursuant to Directive 2008/98/EC of the European Parliament and of the Council Text with EEA relevance

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Classification according to Regulation (EC) No. 1272/2008

Classification procedure: calculation method

Aerosol 2 H223, H229

Skin Irrit.2 H315

STOT SE.3 H336

Repr.2 H361f

STOT RE.2 H373

Aquatic Chronic 2 H411

Relevant H-statements (number and full text)

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters Airways

H315 Causes skin irritation

H336 May cause drowsiness or dizziness

H361f Suspected of damaging fertility.


H373 May cause damage to organs through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects.

Additional Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way

	MATERIAL SAFETY DATA SHEET	Revision: 21.01.2019r.
	According to article 31 and Annex II of the EU REACH Regulation	Update date: -
	GRAFEN PROFESSIONAL SEATBELT	Version 1.0
	LUBRICANT SPRAY	Page 8 of 8

come in contact with the product. If the recipient subsequently produces a formulation containing the product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Product Safety Data Sheet to their own Product Safety Data Sheet.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary –even for the same product between different countries, reflecting the different compliance requirements.