

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 22.12.2016r. Update date: 09.04.2024
	GRAFEN PROFESSIONAL LIQUID GREASE SPRAY	Version 4.1 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Grafen Professional Liquid Grease Spray

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Spray is used for reducing friction between the metals and / or metal with plastic surfaces.

Uses advised against: No further relevant information available.

1.3 Details of the supplier of the safety data sheet:

Supplier:

Madejski Spółka Komandytowa

Street address:

Makuszyńskiego 28

Country/Postcode:

Poland, 31-752 Kraków

Telephone number:

+48 (12) 643 67 67

E-mail:

info@madejski.com.pl

1.4 Emergency telephone number:

112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Mixture:

Classification according to Regulation (EC) No 1272/2008 (CLP)

Aerosol1 H222; H229 Extremely flammable aerosol. Pressurised container: May burst if heated. (Aerosols, Hazard Category 1)

Skin Irrit.2 H315 Causes skin irritation - (Skin corrosion/irritation, Hazard Category 2)

STOT SE.3 H336 May cause drowsiness or dizziness (Single exposure, Hazard Category 3, Narcosis)

Carc.2 H351 Suspected of causing cancer (Carcinogenicity, Hazard Category 2)

Repr.2 H361 Suspected of damaging fertility or the unborn child (Reproductive toxicity, Hazard Category 2)

STOT RE.2 H373 May cause damage to organs through prolonged or repeated exposure (Repeated exposure, Hazard Category 2)

Aquatic Chronic3 H412 Harmful to aquatic life with long lasting effects. (Hazardous to the aquatic environment —Chronic Hazard, Category 3)

2.2 Label elements

Contains Naphtha (petroleum), hydrotreated light , dichloromethane.

Hazard pictograms:



Signal word:

DANGER

Hazard statements:

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 22.12.2016r. Update date: 09.04.2024
	GRAFEN PROFESSIONAL LIQUID GREASE SPRAY	Version 4.1 Page 2 of 8

Precautionary statements:

P102 Keep out of reach of children.
 P201 Obtain special instructions before use.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 P211 Do not spray on an open flame or other ignition source.
 P251 Do not pierce or burn, even after use
 P260 Do not breathe dust/fume/gas/mist/vapours/ spray.
 P264 Wash hands thoroughly after handling
 P273 Avoid release to the environment.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P314 Get medical advice/attention if you feel unwell
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P405 Store locked up.
 P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F
 P501 Dispose of contents/container to in accordance with local/ regional/national/international regulation.

2.3 Other hazards

The mixture does not contain substances meeting the PBT or vPvB criteria in accordance with Annex XIII of the REACH Regulation in a concentration $\geq 0.1\%$ w/w.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

SECTION 3: Composition/information on ingredients

3.1 Substances: Not applicable.

3.2 Mixtures:

Name	Identifiers	[% weight]	Classification according to Regulation (EC) No 1278/2008 (CLP).
Naphtha (petroleum), hydrotreated light	Index No: 649-328-00-1 EC No: 265-151-9 CAS No: 64742-49-0 REACH Registration No.: 01-2119475133-43-0010	>18-<22	Flam. Liq.2 H225 Asp. Tox.1 H304 Skin Irrit.2 H315 STOT SE.3 H336 Repr.2 H361f STOT RE.2 H373 Aquatic Chronic2 H411 Note P
Dichloromethane	Index No: 602-004-00-3 EC No: 200-838-9 CAS No: 75-09-2 REACH Registration No.: 01-2119480404-41-0001	>2-<6	Skin Irrit.2 H315 Eye Irrit.2 H319 STOT SE.3 H336 Carc.2 H351

Note P- The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.

REACH registration number is not available because the substance is exempted from registration or the annual tonnage does not require registration.

The Full Text for all H-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 22.12.2016r. Update date: 09.04.2024
	GRAFEN PROFESSIONAL LIQUID GREASE SPRAY	Version 4.1 Page 3 of 8

Following eye contact: Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention if symptoms occur after washing.

Following inhalation: Move the exposed person to fresh air at once. Provide fresh air, warmth and rest, preferably in a comfortable upright sitting position. Get medical attention if any discomfort continues.

Following skin contact: Immediately remove contaminated clothing. Wash the skin with soap and water. Contaminated clothing should be washed before re-use. Get medical attention promptly if symptoms occur after washing.

Following ingestion: Do not induce vomiting. Immediately rinse mouth. Never give anything by mouth to an unconscious person. Seek medical advice. Provide ventilation.

4.2 Most important symptoms and effects, both acute and delayed

May cause drowsiness or dizziness. Skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

If any symptoms persist seek medical advice and show the msds or label.

Notes for the doctor: Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: foam, carbon dioxide, dry powder, water spray.

Unsuitable extinguishing media: do not use water in a jet.

5.2 Special hazards arising from the substance or mixture

Extremely flammable aerosol. Pressurised container: May burst if heated. Thermal decomposition or combustion may liberate toxic fumes.

5.3 Advice for firefighters

Special Fire Fighting Procedures: Wear full protective clothing and self-contained breathing apparatus.

Protective equipment for fire-fighters: Keep containers cool by spraying with water. If possible remove containers from the danger zone. Prevent from spreading or entering drains, ditches or rivers. Dispose of released and contained material in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel:

Removed from the danger area all persons not involved in the emergency. If necessary, order the evacuation. Avoid contact with skin, eyes. Avoid inhalation of vapours / aerosols. Provide ventilation.

For emergency responders:

Wear protective clothing as described in Section 8.

6.2 Environmental precautions

Do not discharge into drains, water courses or into the ground. Local authorities should be advised if any exposure to the environment occurs.

6.3 Methods and material for containment and cleaning up

Collect mechanical in a waste container. Dispose of waste according to the applicable local and national regulation.

6.4 Reference to other sections

See Section 8 for information on personal protective equipment.

See Section 13 for disposal information.

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 22.12.2016r. Update date: 09.04.2024
	GRAFEN PROFESSIONAL LIQUID GREASE SPRAY	Version 4.1 Page 4 of 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures:

Use only in a well-ventilated area. Avoid breathing vapor or aerosol. Avoid contact with eyes, skin. When handling, use appropriate personal protective equipment (see Section 8). Keep away from heat. Do not smoke! When using do not eat or drink.

Advice on general occupational hygiene:

Ensure good ventilation / exhaustion at the workplace. When using do not eat, drink or smoke. Wash hand before and after work with product. Contaminated clothing should be washed before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place (in temperature below 50°C) Keep away from heat, sparks, sunlight, open flame and smoking.

7.3 Specific end use(s)

Grease

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

International Limits Values:

Substance	CAS No:	Basis / Country	Short Time Value [mg/m ³]	Short Time Value [ppm-Calculated]	Time Weighted Average Exposure Limit [mg/m ³ -8 h]	Time Weighted Average Exposure Limit [ppm-Calculated]
Dichloromethane	67-63-0	Germany	360	100	180	50
		UE	706	200	353	100
		France	356	100	178	50
		Hungary	10	-	10	-
		Italy	353	100	175	50
		Latvia	150	42	120	34

DNEL,PNEC - No data available

8.2 Exposure controls

Appropriate engineering controls

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear approved chemical safety goggles where eye exposure is reasonably probable. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166.

Skin protection:

Hand protection: Use gloves. Gloves must be inspected prior to use.

The selected protective gloves have to satisfy the specifications of Directive 89/686 / EEC and EN 374.

Other: Wear protective clothing. Contaminated clothing should be washed before re-use.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a face respirator. It is recommended to use respiratory equipment with filter.

Thermal hazards: Protection is not required, the product poses no thermal risk.

Environmental exposure controls

Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour. Do not discharge into drains, water courses or into the ground. Local authorities should be advised if any exposure to the environment occurs.

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 22.12.2016r. Update date: 09.04.2024
	GRAFEN PROFESSIONAL LIQUID GREASE SPRAY	Version 4.1 Page 5 of 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid under pressure (aerosol)
Colour	Colourless
Odour	Characteristic
Melting point/freezing point	No data available
Boiling point or initial boiling point and boiling range	No data available
Flammability	No data available
Lower and upper explosion limit	No data available
Flash point	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
pH	No data available
Kinematic viscosity	No data available
Solubility	No data available
Partition coefficient n-octanol/water (log value)	No data available
Vapour pressure	No data available
Density and/or relative density	No data available
Relative vapour density	No data available
Particle characteristics	No data available

9.2 Other information:

No data available.

SECTION 10: Stability and Reactivity

10.1 Reactivity

Not reactive under normal conditions of storage and use. May explode if heated or overheated.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions are expected under normal conditions of storage and use.

10.4 Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 22.12.2016r. Update date: 09.04.2024
	GRAFEN PROFESSIONAL LIQUID GREASE SPRAY	Version 4.1 Page 6 of 8

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

No data available for the mixture.

Naphtha (petroleum), hydrotreated light

LD50 (rat, oral) >5000 mg/kg bw

LC50 (rat, inhalation) > 7 630 mg/m³

LD50 (rabbit, dermal) >2000 mg/kg bw

Dichloromethane

LD50 (rat, oral) > 2 000 mg/kg bw

LD50 (rat, dermal) > 2 000 mg/kg bw

Skin corrosion/irritation

Causes skin irritation

Serious eye damage/irritation

Based on available data, the classification criteria are not met

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met

Germ cell mutagenicity

Based on available data, the classification criteria are not met

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Suspected of damaging fertility or the unborn child

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met

11.2 Information on other hazards

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 12: Ecological information

12.1 Toxicity

No data available for the mixture.

Naphtha (petroleum), hydrotreated light

Fish (Pimephales promelas) LL50 8.2 mg/L exposition time: 96h

Aquatic invertebrates (Daphnia magna) EL50 4.5 mg/L exposition time: 48h

Algae and bacteria (Pseudokirchneriella subcapitata) EL50 3.1 mg/L exposition time: 72h

Isopropyl alcohol

Fish (Leuciscus idus melanotus) LC50 8 970 mg/L exposition time: 48h

Aquatic invertebrates (Daphnia magna) LC50 > 10 000 mg/L exposition time: 24h

Algae and bacteria (Scenedesmus quadricauda) TGK 1 800 mg/L exposition time: 8d

Dichloromethanw

fish (Fundulus heteroclitus) LC50 97 mg/L exposition time: 48h

Aquatic invertebrates (Daphnia magna) LC50 220 mg/L exposition time: 48h

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 22.12.2016r. Update date: 09.04.2024
	GRAFEN PROFESSIONAL LIQUID GREASE SPRAY	Version 4.1 Page 7 of 8

12.4 Mobility in soil

No further relevant information available.

12.5 Results of PBT and vPvB assessment

The mixture does not contain substances meeting the PBT or vPvB criteria in accordance with Annex XIII of the REACH Regulation in a concentration $\geq 0.1\%w/w$

12.6 Endocrine disrupting properties

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

SECTION 14: Transport Information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1. UN number or ID number	UN1950	UN1950	UN1950	UN1950
14.2. UN proper shipping name	Aerosol	Aerosol	Aerosol	Aerosol, flamme
14.3. Transport hazard class(es)	2.1	2.1	2.1	2.1
14.4. Packing group	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards	NO	NO	NO	NO
14.6. Special precautions for user	Tunnel restriction code: D	Not applicable	Number EmS: F-D, S-U	Not applicable
14.7. Maritime transport in bulk according to IMO instruments	Not applicable	Not applicable	Not applicable	Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH),

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

2014/955/EU: Commission Decision of 18 December 2014 amending Decision 2000/532/EC on the list of waste pursuant to Directive 2008/98/EC of the European Parliament and of the Council Text with EEA

	Material Safety Data Sheet According to Commission regulation (EU) 2020/878 and article 31 EU REACH Regulation	Revision: 22.12.2016r. Update date:09.04.2024
	GRAFEN PROFESSIONAL LIQUID GREASE SPRAY	Version 4.1 Page 8 of 8

relevance.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Classification according to Regulation (EC) No. 1272/2008

Aerosol 1 H222, H229

Skin Irrit.2 H315

STOT SE.3 H336

Carc.2 H351

Rep.2 H361

STOT RE.2 H373

Aquatic Chronic3 H412

Relevant H-statements (number and full text)

H225 Highly flammable liquid and vapour

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H351 Suspected of causing cancer.

H361f Suspected of damaging fertility

H373 May cause damage to organs through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects

Additional Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Product Safety Data Sheet to their own Product Safety Data Sheet.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary –even for the same product between different countries, reflecting the different compliance requirements.

Update section: 2,3,11,12,16.